

Introducing Medicinal Trees and Shrubs: Evidence for Benefits: Bark
Dr Anne Stobart

REFERENCES

- Abedini A, Chollet S, Angelis A, et al. (2016) Bioactivity-guided identification of antimicrobial metabolites in *Alnus glutinosa* bark and optimization of oregonin purification by centrifugal partition chromatography. *J Chromatogr B Analyt Technol Biomed Life Sci* 1029-1030: 121-127.
- Abilleira F, Varela P, Cancela A, et al. (2021) Tannins extraction from *Pinus pinaster* and *Acacia dealbata* bark with applications in the industry. *Industrial Crops and Products* 164: 113394.
- Amalinei RL, Trifan A, Cioanca O, et al. (2014) Polyphenol-rich extract from *Pinus sylvestris* L. bark--chemical and antitumor studies. *Rev Med Chir Soc Med Nat Iasi* 118(2): 551-557.
- Barker J (2001) *The medicinal flora of Britain and northwestern Europe: a field guide including plants commonly cultivated in the region*. West Wickham: Winter Press.
- Bonaterra GA, Heinrich EU, Kelber O WD, et al. (2010) Anti-inflammatory effects of the willow bark extract STW 33-I (Proaktiv®) in LPS-activated human monocytes and differentiated macrophages. *Phytomedicine* 17: 1106-1113.
- Bouguellid G, Russo C, Lavorgna M, et al. (2020) Antimutagenic, antigenotoxic and antiproliferative activities of *Fraxinus angustifolia* Vahl. leaves and stem bark extracts and their phytochemical composition. *PLoS ONE* 15(4): e0230690.
- Boussahel S, Speciale A, Dahamna S, et al. (2015) Flavonoid profile, antioxidant and cytotoxic activity of different extracts from Algerian *Rhamnus alaternus* L. bark. *Pharmacogn Mag* 11(Supp 1): S102-109.
- Braga PC and Marabini L WY, Lattuada N, Calò R, Bertelli A, Falchi M, Dal Sasso M, Bianchi T. (2012) Characterisation of the antioxidant effects of *Aesculus hippocastanum* L. bark extract on the basis of radical scavenging activity, the chemiluminescence of human neutrophil bursts and lipoperoxidation assay. *Eur Rev Med Pharmacol Sci*. 16: 1-9.
- Chiarini A, Micucci M, Malaguti M, et al. (2013) Sweet chestnut (*Castanea sativa* Mill.) bark extract: cardiovascular activity and myocyte protection against oxidative damage. *Oxidative Medicine and Cellular Longevity* 2013: 71790.
- Cunningham AB, Anoncho VF and Sunderland T (2016) Power, policy and the *Prunus africana* bark trade, 1972-2015. *J Ethnopharmacol* 178: 323-333.
- Diouf PN, Stevanovic T and Cloutier A (2009) Antioxidant properties and polyphenol contents of trembling aspen bark extracts. *Wood Science and Technology* 43(5-6): 457-470.
- Doimo I and Gatto P Forest and wellbeing: bridging medical and forest research for effective forest-based initiatives. *Forests* 11(8): 791.
- Donkersley P (2019) Trees for bees. *Agriculture, Ecosystems & Environment* 270-271: 79-83.
- Dutta S, Mariappan G, Sarkar D, et al. (2010) Assessment of anti-inflammatory activity of *Taxus baccata* Linn. bark extract. *Anc Sci Life* 29(3): 19-21.

- Ebeling S, Naumann K, Pollok S, et al. (2014) From a traditional medicinal plant to a rational drug: understanding the clinically proven wound healing efficacy of birch bark extract. *PLoS ONE* 9(1): e86147.
- Forrest T (1995) Two thousand years of eating bark: *Magnolia officinalis* var. *biloba* and *Eucommia ulmoides* in traditional Chinese medicine. *Arnoldia* 55(2): 12-18.
- Gradt I, Kühn S, Mörsel JT, et al. (2017) Chemical composition of sea buckthorn leaves, branches and bark. *Proceedings of the Latvian Academy of Sciences Section B* 71: 211-216.
- Guedje NM, Zuidema PA, During H, et al. (2007) Tree bark as a non-timber forest product: The effect of bark collection on population structure and dynamics of *Garcinia lucida* Vesque. *Forest Ecology and Management* 240: 1-12.
- Hardianti B, Umeyama L, Li F, et al. (2020) Anti inflammatory compounds moracin O and P from *Morus alba* Linn. (Sohakuhi) target the NF κ B pathway. *Mol Med Rep* 22(6): 5385-5391.
- Heiska S, Tikkanen O-P, Rousi M, et al. (2007) Bark salicylates and condensed tannins reduce vole browsing amongst cultivated dark-leaved willows (*Salix myrsinifolia*). *Chemoecology* 17(4): 245-253.
- Henkel A (1909) *American medicinal barks*. Washington: US Department of Agriculture.
- Hirons AD and Thomas PA (2018) *Applied tree biology*. Hoboken, NJ: John Wiley.
- Hoffmann J, Gendrisch F, Schempp CM, et al. (2020) New herbal biomedicines for the topical treatment of dermatological disorders. *Biomedicines* 8(2): 27.
- Hubert J, Angelis A, Aligiannis N, et al. (2016) In vitro dermo-cosmetic evaluation of bark extracts from common temperate trees. *Planta Med* 82(15): 1351-1358.
- Iguchi T, Kuroda M, Akiyama N, et al. (2020) Chemical constituents and aldose reductase inhibitory activities of *Betula alba* bark and leaves. *Nat Prod Res*. DOI: doi: 10.1080/14786419.2020.1839455.
- Jin L, Schmiech M, El Gaafary M, et al. (2020) A comparative study on root and bark extracts of *Eleutherococcus senticosus* and their effects on human macrophages. *Phytomedicine* 68: 153181.
- Jowett HAD and Potter CE (1902) Variations in the occurrence of salicin and salinigrin in different willow and poplar barks. *Pharmaceutical Journal*. (Aug. 16, 1902): 2-11.
- Kandimalla R, Dash S, Kalita S, et al. (2016) Protective effect of bioactivity guided fractions of *Ziziphus jujuba* mill. root bark against hepatic injury and chronic inflammation via inhibiting inflammatory markers and oxidative stress. *Front Pharmacol* 7(7): 298.st
- Kim YH, Im A-R, Park B-K, et al. (2018) Antidepressant-like and neuroprotective effects of ethanol extract from the root bark of *Hibiscus syriacus* L. *Biomed Res Int* 2018: 7383869.
- Lauberts M and Pals M (2021) Antioxidant activity of different extracts from black alder (*Alnus glutinosa*) bark with greener extraction alternative. *Plants (Basel)* 10(11): 2531.
- Lorenz P and Heinrich M G-KM, Grunewald F, Messerschmidt S, Herrick A, Gruber K, Beckmann C, Knoedler M, Huber R, Steinborn C, Stintzing FC and Gründemann C (2016) Constituents from oak bark (*Quercus robur* L.) inhibit degranulation and allergic mediator release from basophils and mast cells in vitro. *J Ethnopharmacol* 194: 642-650.

- Ni HF, Cai X, Qiu X, et al. (2020) Biphenyl-type neolignans from stem bark of *Magnolia officinalis* with potential anti-tumor activity. *Fitoterapia*. DOI: 10.1016/j.fitote.2020.104769.
- Robertson NU, Schoonees A, Brand A, et al. (2020) Pine bark (*Pinus* spp.) extract for treating chronic disorders. *Cochrane Database Syst Rev* 9: CD008294.
- Pathiratna LSS and Perera MKP (2006) Effect of plant density on bark yield of cinnamon intercropped under mature rubber. *Agroforestry Systems* 68(2): 123-131.
- Penman KG, Bone K and Lehmann RP (2008) Fringe tree (*Chionanthus virginicus* L.) stem bark offers a sustainable alternative to root bark. *Australian Journal of Medical Herbalism* 20: 107-111.
- Phuyal N Jha PK, Raturi PP, Rajbhandary S, (2020) In vitro antibacterial activities of methanolic extracts of fruits, seeds, and bark of *Zanthoxylum armatum* DC. *J Trop Med*. DOI: 10.1155/2020/2803063.
- Piątczak E, Dybowska M, Płuciennik E, et al. (2020) Identification and accumulation of phenolic compounds in the leaves and bark of *Salix alba* (L.) and their biological potential. *Biomolecules* 10(10): 1391.
- Sadowska B, Paszkiewicz M, Podśędek A, et al. (2014) *Vaccinium myrtillus* leaves and *Frangula alnus* bark derived extracts as potential antistaphylococcal agents. *Acta Biochim Pol* 61(1): 163-169.
- Schmid B, Kotter I and Heide L (2001) Pharmacokinetics of salicin after oral administration of a standardised willow bark extract. *Eur J Clin Pharmacol* 57(5): 387-391.
- Sharma S, Sahu D, Das H, et al. (2011) Amelioration of collagen-induced arthritis by *Salix nigra* bark extract via suppression of proinflammatory cytokines and oxidative stress. *Food and Chemical Toxicology* 49: 3395-3406.
- Shevelev AB, La Porta N, Isakova EP, et al. (2020) In vivo antimicrobial and wound-healing activity of resveratrol, dihydroquercetin, and dihydromyricetin against *Staphylococcus aureus*, *Pseudomonas aeruginosa*, and *Candida albicans*. *Pathogens* 9(4): 296.
- Skrypnik L, Grigorev N, Michailov D, et al. (2019) Comparative study on radical scavenging activity and phenolic compounds content in water bark extracts of alder (*Alnus glutinosa* (L.) Gaertn.), oak (*Quercus robur* L.) and pine (*Pinus sylvestris* L.). *European Journal of Wood and Wood Products* 77: 879–890.
- Srivastava J and Vankar PS (2012) Principal phenolic phytochemicals and antioxidant property in eucalyptus bark. *Nutrition & Food Science* 42(6): 412-421.
- Stobart A (2012) Sourcing cramp bark through medicinal agroforestry in the UK: a case study of the European and American cranberry. *Journal of Medicinal Plant Conservation*. (Winter issue): 6-7.
- Stobart A (2020) *The medicinal forest garden handbook: Growing, harvesting and using healing trees and shrubs in a temperate climate*. East Meon, Hampshire, UK: Permanent Publications.
- Stobart A, Prieto-Garcia J, Vieweger A, et al. (2023) Medicinal tree products offer therapeutic benefits and potential diversification for small scale agroforestry and farm woodlands: An overview with indications for further studies. In: Fiebrig IN (ed) *Medicinal agroecology: reviews, case studies, and research methodologies*. London: CRC Press/Routledge Group.

- Tanase C, Cos S and Muntean D-L (2019) A critical review of phenolic compounds extracted from the bark of woody vascular plants and their potential biological activity. *Molecules* 24: 1182.
- Țebrencu CE, Crețu RM, Mitroi GR, et al. (2015) Phytochemical evaluation and HPTLC investigation of bark and extracts of *Rhamnus frangula* Linn. *Phytochemistry Reviews* 14(4): 613–621.
- Telichowska A, Kobus-Cisowska J, Szulc P, et al. (2021) Prunus padus L. bark as a functional promoting component in functional herbal infusions – cyclooxygenase-2 inhibitory, antioxidant, and antimicrobial effects. *Open Chemistry*. DOI: 10.1515/chem-2021-0088.
- Telichowska A, Kobus-Cisowska J and Szulc P (2020) Phytopharmacological possibilities of bird cherry Prunus padus L. and Prunus serotina L. species and their bioactive phytochemicals. *Nutrients* 12(7): 1966.
- Theisen L, Erdelmeier C, Spoden G, et al. (2014) Tannins from *Hamamelis virginiana* bark extract: characterization and Improvement of the antiviral efficacy against influenza A virus and human papillomavirus. *PLoS ONE* 9(1): e88062.
- Upton R (1999) Willow bark, *Salix* spp. analytical, quality control and therapeutic monograph. Santa Cruz: America Herbal Pharmacopoeia.
- Vikrant A and Arya ML (2011) A review on anti-inflammatory plant barks. *International Journal of PharmTech Research* 3(2): 899-908.
- Wardecki T, Werner P, Thomas M, et al. (2016) Influence of birch bark triterpenes on keratinocytes and fibroblasts from diabetic and nondiabetic donors. *J Nat Prod* 79(4): 1112-1123.
- Watson B (2006) *Trees: their use, management, cultivation and biology*. Marlborough, Wilts: Crowood Press.
- Vermeulen WJ, Geldenhuys CJ and Esler KJ (2012) Response of *Ocotea bullata*, *Curtisia dentata* and *Rapanea melanophloeos* to medicinal bark stripping in the southern Cape, South Africa: implications for sustainable use. *Southern Forests: a Journal of Forest Science* 74: 183-193
- Xing YY, Wang JY, Wang K, et al. (2020) Inhibition of rheumatoid arthritis using bark, leaf, and male flower extracts of *Eucommia ulmoides*. *Evid Based Complement Alternat Med*. DOI: 10.1155/2020/3260278.
- Zakavi F, Hagh LG, Daraeighadikolaei A, et al. (2013) Antibacterial effect of *Juglans regia* bark against oral pathologic bacteria. *International Journal of Dentistry* 2013: 854765.
- Zhang J, Yamada S, Ogihara E, et al. (2016) Biological activities of triterpenoids and phenolic compounds from *Myrica cerifera* bark. *Chem Biodivers* 13(11): 1601-1609.